

2017	11	07
2019	02	21
2019	05	22
2019	05	24
2020	03	11
2020	12	11
2021	08	05
2021	09	14
2022	11	09
2023	05	25
2023	06	26

乌司奴单抗注射液说明书

本品仅用于皮下给药。

如需静脉输注时，请使用静脉制剂。

【药品名称】

®

Ustekinumab Injection
Wusinu Dankang Zhusheye

【成份】

L- L- 80

【性状】

【适应症】

		MTX	PUVA
A			
			6
60	100		
		α TNF α	

【规格】

45mg/0.5ml/
90mg/1.0ml/

【用法用量】

本品仅用于皮下给药。如需静脉输注时，请使用静脉制剂。

	45 mg	4	12
--	-------	---	----

6			
		0	4
12	1		
≥60 kg ≤100 kg		45 mg	
28			
		IV	1
8	90mg	12	90mg
1			
a 130 mg			
≤55 kg		260 mg	2
55 kg	≤85 kg	390 mg	3
85 kg		520 mg	4
a	6 mg/kg		
8			
12		1	8 1
8		12	1
16	8	1	16
/			
8		1	

45mg/0.5ml/ 90mg/1.0ml/

“ ” “ ”

“ ”

【不良反应】

5%

14 II

III	6,709						
	6	4,577	1	3,253			
					4	1,482	5
838							
2							

1/100

≥1/10

≥1/10,000

≥1/100

1/1,000

1/10

≥1/1,000

1/10,000

2

系统器官分类	频率：不良反应

系统器官分类	频率：不良反应

			1.36	
	1.34			0.03
	930	30		0.03
434		15		
6,709	11,581		1.0	
	1.1		0.6	
	0.91		0.02	
11,581	199			

			0.11	100
	929	1	0.23	100
434		1		
0.43	100	929	4	0.46
100	433		2	
6,709	11,561			1.0

	1.1		0.6	11,561
			62	
	0.54	100		
				=0.93
[95%	0.71	1.20]		
			0.49	100
11,545	56			3:1
				1%
		466		2.4%
470			2.6%	
1				
	(PRES)			
	2		PRES	
	RPLS			
PRES				
	1			
		PRES		PRES

12.4%
3%

6

III

110

12-17

60

44

6-11

56

1

/

【禁忌】

【注意事项】

2

CT

Y- T

T cell enzyme-linked immune-spot assay T-SPOT.TB T

Quanti FERON-TB Gold QFT-G

IL-12/IL-23

BCG

IL-12/IL-23

60

PUVA

[BCG]

15

2

6

BCG

MTX

1-3

【孕妇及哺乳期妇女用药】

15

/

6

BCG

15

【儿童用药】

6 18

【老年用药】

65

65 65

【药物相互作用】

6 BCG

III

100

5% 90% MTX NSAID

6- TNFα

IL-12 IL-23 CYP450
10 ng/ml IL-12 / IL-23
CYP450 CYP1A2 2B6 2C9 2C19 2D6 3A4

CYP450
IL-1 IL-6 IL-10 TNFα IFN
IL-12 IL-23 CYP450
CYP450 CYP450

MTX

【药物过量】

6 mg/kg

【临床药理】



CL

1.99~2.34 ml/ /kg

$t_{1/2}$ 3 15~32

CL/F V/F 0.465 L/ 15.7

L $t_{1/2}$ 3 CL/F

0.09 mg/kg~4.5 mg/kg

24 mg~240 mg C_{max}

AUC

-

0 4 12

28

0.21~0.26 µg/ml 45 mg 0.47~0.49 µg/ml 90 mg 12

126.1µg/ml 8 90mg 8

12 1 2

90mg 8 1 12 1

1.97µg/ml 2.24µg/ml 0.61µg/ml 0.76µg/ml 90mg 12

1 90mg 8 1

100 kg CL/F

≤100 kg 55% 100 kg V/F

≤100 kg 37% 90 mg 100 kg

45 mg ≤100
kg

CL/F V/F ≥65

6-17

12-17

CADMUS

CYP450

IL-12 IL-23 CYP450
10 ng/ml IL-12 / IL-23 CYP450
CYP1A2 2B6 2C9 2C19 2D6 3A4

【临床试验】

斑块状银屑病（成人）

2 1,996

1 MTX PUVA

1 PHOENIX 1 766 53%

0

4	45 mg	90 mg	12	
	0	4	12	16
	45 mg	90 mg	12	1
	28	40		
PASI	75	PASI	75%	
12	1		40	
		40	PASI	50%

76

2	PHOENIX 2	1,230	61%	0
---	-----------	-------	-----	---

4	45 mg	90 mg	16	1
	0	4	12	16
	45 mg	90 mg		

52

3	ACCEPT	903
---	--------	-----

		12		
2	50 mg	0	4	45 mg 90 mg
	1	2		PASI
	17-18		BSA	≥20
DLQI	10-12	1/3	1	1/4 2

PsA	3
-----	---

Æ	κ	≠	≠	‡	%
---	---	---	---	---	---

PGA 0 1 16			PGA 0 1		
52					
PGA	PASI	CDLQI	52		6
6 12 52					
儿童银屑病研究（CADMUS Jr.）（6-11 岁）					
	第 12 周		第 52 周		
	乌司奴单抗推荐剂量		乌司奴单抗推荐剂量		
	N (%)		N (%)		
入组的患者	44		41		
PGA					
PGA 评分为清除（0）或极轻度（1）	34 (77.3%)		31 (75.6%)		
PGA 评分为清除（0）	17 (38.6%)		23 (56.1%)		
PASI					
PASI 75 应答者	37 (84.1%)		36 (87.8%)		
PASI 90 应答者	28 (63.6%)		29 (70.7%)		
PASI 100 应答者	15 (34.1%)		22 (53.7%)		
CDLQI ^a					
基线时 CDLQI>1 的患者	(N=39)		(N=36)		
CDLOI 评分为 0 或 1	24 (61.5%)		21 (58.3%)		

^a CDLQI CDLQI
CDLQI 0 1

克罗恩病（国外数据）

CDAI ≥220 ≤450			8		
UNITI-1 UNITI-2 44			IM-		
UNITI 52					
1409			UNITI-1 n=769 UNITI-2		
n=640 6			CDAI		

≥100

8

75%

0

6 mg/kg

1

130 mg

UNITI-1

TNFα

48%

1

TNFα
29.1%

52%

2

3

TNFα
69.4%

36.4%

TNFα

UNITI-2

